



ANDHRA PRADESH POLLUTION CONTROL BOARD
ZONAL OFFICE::VISAKHAPATNAM.
D.No.39-33-20/4/1, Madhavadhara Vuda Colony,
Visakhapatnam - 530018.

☎: 0891-2719380

Order No : 7589-VSP/PCB/ZO-VSP/VSP/CFO/2018

Date: 17.09.2018

AUTO RENEWAL OF CONSENT ORDER AND AUTHORIZATION

In response to your application dated: 31.08.2018 for Auto Renewal of Consent Order and Authorization, the Board is hereby extending validity period of Consent Order and Authorization under 25/26 of Water (Prevention and Control of Pollution) Act, 1974 and 21/22 of Air (Prevention and Control of Pollution) Act, 1981 and Authorization under Rule 5 of Hazardous Waste (Management, Handling and Transboundary Movement) Rules, 2008 issued CFO order dt.29.10.2016 valid upto 31.12.2018 for a further period of 5(five) years i.e., upto 31.12.2023.

1. The industry shall connect the CAAQMS station to APPCB server immediately.
2. The industry shall submit the information regarding usage of Ozone Depleting Substances once in six months to the RO, Visakhapatnam under a copy marked to ZO, Visakhapatnam.
3. The condition wise compliance report of the CFO Order dated: 29.10.2016 shall be submitted to the Regional Office, Visakhapatnam and Zonal Office, Visakhapatnam regularly on a half yearly basis by 1st June and 1st December of each calendar year.
4. The industry shall comply with the Hazardous and Other Wastes (Management and Transboundary Movement) Rules, 2016.
5. In case of false certification, non compliance of conditions/directions and deficiency in furnishing the information by the industry, the Board can withdraw the auto renewed consent and take action under provisions of relevant Acts & Rules.

For A.P. Pollution Control Board

JOINT CHIEF ENVIRONMENTAL ENGINEER

To
M/s.Pfizer Healthcare India Private Limited
Plot No.111 & 123 and 116, 117, 118 & 119,
JN Pharmacy, Parawada (M),
Visakhapatnam district